ELSEVIER

Journal of Alloys and Compounds 281 (1998) 319

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 281

Akiba, E., 290
Akiba, E., 301
Akiyama, T., 175
Audier, M., 249

Baldonado, P.S., 137
Baran, S., 92
Berger, R., 186
Bououdina, M., 290
Brommer, P.E., 108
Brück, E., 123
Buschow, K.H.J., 108, 123

Cao, L., 60
Castanet, R., 237
Chakoumakos, B.C., 157
Chapman, J.N., 12
Charrier, B., 117
Colpa, J.H.P., 108
Coulter, J.Y., 137
Císařová, I., 169

David, S., 6
Davies, H.A., 17, 37
de Boer, F.R., 108
Ding, J., 32
Dou, S.W., 280
Durand-Charre, M., 249
Du, Y.-W., 56

Effenberger, H., 152
Endo, S., 77
Enoki, H., 290
Enoki, H., 301
Eriksson, L., 186
Ermolenko, A.S., 69

Fadeeva, V.I., 275
Franse, J.J.M., 108
Fujimori, H., 46
Fukuda, T., 160, 196
Fukushima, K., 163

Gaviko, V.S., 69
Gebel, B., 60
Giester, G., 169
Givord, D., 6
Gladilina, O.E., 275
Grössinger, R., 1
Gunderov, D.V., 69
Gutfleisch, O., 12

Hanada, S., 268
Han, X.-F., 72
Harland, C.L., 37
Harrison, W.T.A., 146
Harris, I.R., 12
Havel, J., 169
Hazemann, J.L., 117
Higashi, I., 160
Hirosawa, S., 64
Hofmann, M., 92
Horiuchi, H., 160, 196
Hosoda, H., 268
Hüfken, T., 233
Huster, J., 186
Hu, B.-P., 72
Hu, J., 72

Iida, T., 163
Ikegami, T., 64
Ipser, H., 241
Iwadate, Y., 163

Jee, K.Y., 264
Jeitschko, W., 233
Jin, Z.-Q., 56

Kabutomori, T., 175
Kakihana, M., 206
Kamegawa, A., 46
Kaneko, T., 77
Kanomata, T., 77
Katayama, T., 50
Kim, J.G., 264
Kim, W.H., 264
Klaasse, J.C.P., 108
Kobe, S., 23
Kockelmann, W., 306
Kou, X.C., 41
Kubis, M., 60
Kubota, S.-i., 181
Kudou, K., 160, 196

Lakshmana Rao, J., 99
Lan, M.D., 112
Leciejewicz, J., 92
Lee, J.-G., 264
Leonov, A.V., L1
Leonov, A.V., 275
Lidin, S., 186
Liu, G.-C., 72
Liu, H.L., 280
Li, L., 175
Li, H.-S., 72
Loewenhaupt, M., 306
López-Delgado, A., 312
López, F.A., 312
Lu, L.-Ya., 56

Maaskant, W.J.A., 211
Macciò, D., 222
Maeda, H., 280
Maeda, T., 50
Mandrus, D., 157
Martín de Vidales, J.L., 312
Matsumoto, M., 27
Matyja, H., 275
McCormick, P.G., 32, 146
McGuiness, P.J., 23
Mendoza-Suárez, G., 17
Menovsky, A.A., 108
Miao, W.F., 32
Miller, G.J., 202
Morisako, A., 27
Morozkin, A.V., L1, 228
Moskalev, V.A., 228
Moze, O., 123
Mueller, F.M., 137
Müller, K.-H., 60
Müller, K.-H., 306
Murali, A., 99

Nagata, Y., 112
Nakamura, H., 81
Nguyen-Manh, D., 81
Nicholson, W.A.P., 12
Norén, L., 186

Okada, S., 160, 196
Okubo, T., 206
Oku, M., 196
Oleinek, Ph., 306

Park, Y.J., 264
Penc, B., 92
Perůtka, J., 169
Peterson, D.E., 137
Peterson, E.J., 137
Pettifor, D.G., 81
Piramanayagam, S.N., 27
Popov, A.G., 69
Portnoy, V.K., L1

Rave, W., 60
Richter, K.W., 241
Rossi, D., 222

Samata, H., 112
Sankar, R., 126
Sasaki, H., 112
Sasaki, T., 196
Sato Turtelli, R., 1
Sato, K., 77
Schenk, T., 249
Schmitt, D., 117
Schultz, L., 60
Schultz, L., 306
Semboshi, S., 268
Seropegin, Yu.D., L1, 228
Shima, T., 46
Shimada, M., 181
Shirao, K., 163
Shishido, T., 160, 196
Ślaski, M., 92
Smith, M.D., 202
Sodeyama, K., 112
Sreekanth Chakradhar, R.P., 99
Stolyarov, V.V., 69
Street, R., 32
Subba Rao, G.V., 126
Suzuki, N., 77
Suzuki, T., 77
Sviridov, I.A., L1, 228
Szanics, J., 206
Szytuła, A., 92

Tabaru, T., 268
Takeda, K., 50
Takei, S., 27
Tang, W., 56
Téllez-Blanco, J.C., 1
Terao, K., 175
Thompson, P., 12
Thuy, N.P., 108
Toyota, N., 196
Tsushio, Y., 301
Tsuzuki, T., 146
Tung, L.D., 108

Uchida, T., 112
Uehara, M., 64

Vance, L., 280
Vila, E., 312

Wachtmann, K.H., 233
Wang, Y., 56
Wang, Y.-Z., 72
Watanabe, Y., 196

Xu, J.-J., 56

Yagi, J., 175
Yamagishi, M., 77
Yamane, H., 181
Yang, C.-P., 72
Yashiro, S., 112
Yassin, A., 237
Yavuz, M., 280
Ye, J., 196

Žák, Z., 169
Zhang, J.-R., 56
Zhu, Y.T., 137

Elsevier Science S.A.
PII: S0925-8388(98)00906-2

ELSEVIER

Journal of Alloys and Compounds 281 (1998) 321–325

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 281

Acids recovery plant powder
synthesis of mixed ferrite with spinel-type structure from a stainless steelmaking solid waste 312
Aftereffect
structure and magnetic properties of $SmCo_{5-x}Cu_x$ alloys 1
Alloy
preparation and superconductivity of the quaternary alloy Mo–Ru–Rh–Pd 264
Al–Mr–Cr alloys
liquid–solid equilibria in the Al-rich corner of the Al–Mn–Cr system 249
Al–Ti–Fe alloys
structure of $Al_{50}Ti_{50-x}Fe_x$ alloys prepared by mechanical alloying and subsequent annealing 275
Ammonium thiocuprate
a reinterpretation of the $NH_4Cu_7S_4$ structure 186
Amorphization
neutron and X-ray powder diffraction study on the compound $NdFe_{10.75}V_{1.25}N_y$ 306
Annealing
studies on NdFeB thin films over a wide composition range 27
Antiferromagnetic ordering
study of the specific heat of a $CeCoAl_4$ single crystal in high magnetic fields 108
Au–Te liquid alloys
investigation of the short-range order in Au–Te melts 237

Ball milling
synthesis of ultrafine gadolinium oxide powder by mechanochemical processing 146
$Bi_4Cu_3O_8(VO_4)_2$, topology
the Bi(III)-selenite $(Bi_2O)Cu(SeO_3)_3{\cdot}H_2O$ 152
$(Bi_2O)Cu(SeO_3)_3{\cdot}H_2O$, crystal structure
the Bi(III)-selenite $(Bi_2O)Cu(SeO_3)_3{\cdot}H_2O$ 152
$(Bi_2O)Cu(SeO_3)_3{\cdot}H_2O$, synthesis
the Bi(III)-selenite $(Bi_2O)Cu(SeO_3)_3{\cdot}H_2O$ 152
$(Bi_2O)Cu(SeO_3)_3{\cdot}H_2O$, topology
the Bi(III)-selenite $(Bi_2O)Cu(SeO_3)_3{\cdot}H_2O$ 152
Bismuth
luminescence properties of $Gd_{1-x}Bi_xTa_7O_{19}$ $(0<x\leq 1)$ 181
Bridgman method
temperature dependence of the magneto-crystalline anisotropy in R_2Fe_{17} (R=Y, Gd, Tb, Dy, Er) 50

$CaIn_2$-type compounds
ternary rare earth (R) alloys occurring in the RAg_2–RGa_2 section 222
Carbides
hard magnetic properties of interstitial compounds $Sm_3(Fe,Cr)_{29}X_y$ (X=N, C) 72
Cerium cobalt aluminide
study of the specific heat of a $CeCoAl_4$ single crystal in high magnetic fields 108
Cerium nickel silicides
crystal structure and magnetic properties of the compound $CeNi_5Si$ 123
Chirality
induced helices, tetrahedrons and spirals in yellow InCl 211
Cobalt paratungstate
synthesis and crystal structures of two new cobalt 42-oxododecatungstates, $[Co_4Na(H_2O)_{21}][H(H_2W_{12}O_{42})].18H_2O$ and $[Co_5(H_2O)_{22}][H_2W_{12}O_{42}].12H_2O$ 169
Cobalt–sodium paratungstate
synthesis and crystal structures of two new cobalt 42-oxododecatungstates, $[Co_4Na(H_2O)_{21}][H(H_2W_{12}O_{42})].18H_2O$ and $[Co_5(H_2O)_{22}][H_2W_{12}O_{42}].12H_2O$ 169
Coercivity
coercivity in lean rare earth NdFeB and PrFeB nanocomposite hard magnetic materials 6
Coercivity mechanism
coercivity of SmFeN permanent magnets produced by various techniques 41
Columnar structure
enhanced coercive force of Nd–Fe–B thin films by the introduction of a Cr underlayer 46
Combustion synthesis
in situ X-ray diffraction study of the hydriding combustion synthesis of Mg_2NiH_4 175
Compressibility
thermal expansion of MnRhP 77
Crystal-field parameters
a study of electron paramagnetic resonance and optical absorption in calcium chromium phosphate glasses containing praseodymium 99
Crystal field specific heat
study of the specific heat of a $CeCoAl_4$ single crystal in high magnetic fields 108
Crystal morphology
growth conditions, electrical resistivity, microhardness and thermal properties of Nb_5Sn_2Ga single crystals synthesized from high-temperature tin solutions 160
Crystal structure(s)
new intermetallic compounds found in Hf–Ni–Ge and Hf–Pt–Ge systems 112
crystal structure and magnetic properties of the compound $CeNi_5Si$ 123
crystal structure and chemistry of four new $RBa_4Cu_3O_{8.5+\delta}$ (R=Ho, Er, Tm and Yb) compounds 137
Ru_3Sn_7 with the Ir_3Ge_7 structure-type 157
polytypism in the Nb_3TeI_7 system 202
preparation and crystal structure of the ternary carbides $R_{12}Os_5C_{15}$ with R=Y, Pr, Nd, Sm, Gd–Tm 233
Cr^{3+} ions
a study of electron paramagnetic resonance and optical absorption in calcium chromium phosphate glasses containing praseodymium 99

Elsevier Science S.A.
PII: S0925-8388(98)00907-4

Cuprate
crystal structure and chemistry of four new $RBa_4Cu_3O_{8.5+\delta}$ (R=Ho, Er, Tm and Yb) compounds 137

Density
preparation and superconductivity of the quaternary alloy Mo–Ru–Rh–Pd 264
Disproportionated phase
a magnetic and compositional study of the disproportionated stage of the solid-HDDR process in NdFeB-type materials 12
Dy/Ga substitutions
magnetic properties of melt-spun Nd-rich NdFeB alloys with Dy and Ga substitutions 37

Electrical resistivity
new intermetallic compounds found in Hf–Ni–Ge and Hf–Pt–Ge systems 112
growth conditions, electrical resistivity, microhardness and thermal properties of Nb_5Sn_2Ga single crystals synthesized from high-temperature tin solutions 160
Electronic polarizability
refractive indexes and electronic polarizabilities of molten $HoCl_3$–NaCl and $HoCl_3$–KCl mixtures 163
Electronic structure
electronic structure and energetics of $LaNi_5$, α-$La_2Ni_{10}H$ and β-$La_2Ni_{10}H_{14}$ 81
Electron probe microanalysis
phase equilibria in the ternary Ga–Pt–Sb system 241
Enthalpy
investigation of the short-range order in Au–Te melts 237
Entropy
investigation of the short-range order in Au–Te melts 237
EPR
a study of electron paramagnetic resonance and optical absorption in calcium chromium phosphate glasses containing praseodymium 99
Er143
crystal structure and chemistry of four new $RBa_4Cu_3O_{8.5+\delta}$ (R=Ho, Er, Tm and Yb) compounds 137
EXAFS spectroscopy
an EXAFS investigation of the local structure of $R_8Mg_{42}Zn_{50}$ icosahedral quasicrystals (R=Y, Dy) 117
Exchange-coupling
enhanced remanence behavior in mechanically alloyed $SmCo_5$ 23

Ferrite magnets
high-coercivity ferrite magnets prepared by mechanical alloying 32

Gadolinium oxide
synthesis of ultrafine gadolinium oxide powder by mechanochemical processing 146
Ga–Pt–Sb system
phase equilibria in the ternary Ga–Pt–Sb system 241
Gas–solid reaction
neutron and X-ray powder diffraction study on the compound $NdFe_{10.75}V_{1.25}N_y$ 306
Germanides
crystallographic data of new ternary Sm_5Ge_4-type $Gd_2Sc_3Ge_4$ and $R_2Sc_3Si_4$ compounds (R=Sm, Gd–Tm) L1
phase equilibria in the Tb–Ti–Ge system at 1070 K 228

Hard magnetic material
enhanced coercive force of Nd–Fe–B thin films by the introduction of a Cr underlayer 46

Hard magnetic materials
structure and magnetic properties of $SmCo_{5-x}Cu_x$ alloys 1
Hard magnetic thin films
studies on NdFeB thin films over a wide composition range 27
HDDR
a magnetic and compositional study of the disproportionated stage of the solid-HDDR process in NdFeB-type materials 12
hydrogenation–disproportionation–desorption–recombination in $Sm_2Fe_{16}M$ (M=Al, Ga and Si) and magnetic properties of their carburized powders 60
improvements of irreversible thermal losses in anisotropic $Nd_2Fe_{14}B$-based resin-bonded permanent magnets made from HDDR powder 64
Heat capacity
investigation of the short-range order in Au–Te melts 237
Heat of formation
electronic structure and energetics of $LaNi_5$, α-$La_2Ni_{10}H$ and β-$La_2Ni_{10}H_{14}$ 81
Hexaborates
luminescence studies on doped borates, $A_6MM'(BO_3)_6$ 126
Hexaferrite
high-coercivity ferrite magnets prepared by mechanical alloying 32
High coercive force
studies on NdFeB thin films over a wide composition range 27
enhanced coercive force of Nd–Fe–B thin films by the introduction of a Cr underlayer 46
High coercive materials
coercivity of SmFeN permanent magnets produced by various techniques 41
High coercivity
hydrogenation–disproportionation–desorption–recombination in $Sm_2Fe_{16}M$ (M=Al, Ga and Si) and magnetic properties of their carburized powders 60
High energy product
studies on NdFeB thin films over a wide composition range 27
High-T_c superconductivity
phase development and kinetics of high temperature Bi-2223 phase 280
Ho143
crystal structure and chemistry of four new $RBa_4Cu_3O_{8.5+\delta}$ (R=Ho, Er, Tm and Yb) compounds 137
$HoCl_3$ mixtures
refractive indexes and electronic polarizabilities of molten $HoCl_3$–NaCl and $HoCl_3$–KCl mixtures 163
Hydriding
in situ X-ray diffraction study of the hydriding combustion synthesis of Mg_2NiH_4 175
Hydrogen absorption
hydrogenation–disproportionation–desorption–recombination in $Sm_2Fe_{16}M$ (M=Al, Ga and Si) and magnetic properties of their carburized powders 60
Hydrogen desorption
hydrogenation properties of $MgNi_{0.86}M1_{0.03}$ (M1=Cr, Fe, Co, Mn) alloys 301
Hydrogen in metals
the investigation of the $Zr_{1-y}Ti_y(Cr_{1-x}Ni_x)_2$–$H_2$ system $0.0 \le y \le 1.0$ and $0.0 \le x \le 1.0$ Phase composition analysis and thermodynamic properties 290
Hydrogen storage alloy
in situ X-ray diffraction study of the hydriding combustion synthesis of Mg_2NiH_4 175

Icosahedral clusters
liquid–solid equilibria in the Al-rich corner of the Al–Mn–Cr system 249

Insoluble residue
preparation and superconductivity of the quaternary alloy Mo–Ru–Rh–Pd 264

Intermetallic
Ru_3Sn_7 with the Ir_3Ge_7 structure-type 157
Ionic melt
refractive indexes and electronic polarizabilities of molten $HoCl_3$–NaCl and $HoCl_3$–KCl mixtures 163

Kinetics
the investigation of the $Zr_{1-y}Ti_y(Cr_{1-x}Ni_x)_2$–$H_2$ system $0.0 \le y \le 1.0$ and $0.0 \le x \le 1.0$ Phase composition analysis and thermodynamic properties 290

$LaNi_5$ hydride
electronic structure and energetics of $LaNi_5$, α-$La_2Ni_{10}H$ and β-$La_2Ni_{10}H_{14}$ 81
Lanthanides
luminescence studies on doped borates, $A_6MM'(BO_3)_6$ 126
Laves phases
the investigation of the $Zr_{1-y}Ti_y(Cr_{1-x}Ni_x)_2$–$H_2$ system $0.0 \le y \le 1.0$ and $0.0 \le x \le 1.0$ Phase composition analysis and thermodynamic properties 290
$LiTaO_3$
preparation of $LiTaO_3$ powders at reduced temperatures by a polymerized complex method 206
Lone pairs
induced helices, tetrahedrons and spirals in yellow InCl 211
Lorentz electron microscopy
a magnetic and compositional study of the disproportionated stage of the solid-HDDR process in NdFeB-type materials 12
Luminescence
luminescence studies on doped borates, $A_6MM'(BO_3)_6$ 126
luminescence properties of $Gd_{1-x}Bi_xTa_7O_{19}$ ($0 < x \le 1$) 181

Magnesium nickel
in situ X-ray diffraction study of the hydriding combustion synthesis of Mg_2NiH_4 175
Magnetic material
enhanced remanence behavior in mechanically alloyed $SmCo_5$ 23
Magnetic properties
the coercivities of nanophase melt-spun PrFeB alloys 17
studies on the structure and magnetic properties of $Sm_2(Fe,Al)_{17}C_y$ alloys with Zr additions 56
magnetic order in RAgGe (R=Gd–Er) intermetallic compounds 92
new intermetallic compounds found in Hf–Ni–Ge and Hf–Pt–Ge systems 112
Magnetic structure
magnetic order in RAgGe (R=Gd–Er) intermetallic compounds 92
study of the specific heat of a $CeCoAl_4$ single crystal in high magnetic fields 108
Magnetic susceptibility
crystal structure and magnetic properties of the compound $CeNi_5Si$ 123
Magneto-crystalline anisotropy
temperature dependence of the magneto-crystalline anisotropy in R_2Fe_{17} (R=Y, Gd, Tb, Dy, Er) 50
Manganese rhodium phosphide
thermal expansion of MnRhP 77
Mechanical alloying
enhanced remanence behavior in mechanically alloyed $SmCo_5$ 23
high-coercivity ferrite magnets prepared by mechanical alloying 32
structure of $Al_{80}Ti_{80-x}Fe_x$ alloys prepared by mechanical alloying and subsequent annealing 275

Mechanochemical processing
synthesis of ultrafine gadolinium oxide powder by mechanochemical processing 146
Melt-spinning
studies on the structure and magnetic properties of $Sm_2(Fe,Al)_{17}C_y$ alloys with Zr additions 56
Melt-spun NdFeB
magnetic properties of melt-spun Nd-rich NdFeB alloys with Dy and Ga substitutions 37
Mg-based alloy
hydrogenation properties of $MgNi_{0.86}M1_{0.03}$ (M1=Cr, Fe, Co, Mn) alloys 301
Microhardness
chemical state and properties of the Nb_5Sn_2Ga grown by the self-component flux method using tin as a solvent 196
Micromagnetism
coercivity of SmFeN permanent magnets produced by various techniques 41
Microstructure
studies on the structure and magnetic properties of $Sm_2(Fe,Al)_{17}C_y$ alloys with Zr additions 56
MnRhP
thermal expansion of MnRhP 77
Molar volume
refractive indexes and electronic polarizabilities of molten $HoCl_3$–NaCl and $HoCl_3$–KCl mixtures 163
Multiphase system
the investigation of the $Zr_{1-y}Ti_y(Cr_{1-x}Ni_x)_2$–$H_2$ system $0.0 \le y \le 1.0$ and $0.0 \le x \le 1.0$ Phase composition analysis and thermodynamic properties 290

Nanocomposite materials
coercivity in lean rare earth NdFeB and PrFeB nanocomposite hard magnetic materials 6
Nanocrystalline
synthesis of mixed ferrite with spinel-type structure from a stainless steelmaking solid waste 312
Nanocrystallite size
the coercivities of nanophase melt-spun PrFeB alloys 17
Nb_5Sn_2Ga
growth conditions, electrical resistivity, microhardness and thermal properties of Nb_5Sn_2Ga single crystals synthesized from high-temperature tin solutions 160
chemical state and properties of the Nb_5Sn_2Ga grown by the self-component flux method using tin as a solvent 196
NdFeB
a magnetic and compositional study of the disproportionated stage of the solid-HDDR process in NdFeB-type materials 12
studies on NdFeB thin films over a wide composition range 27
Nd–Fe–B thin film
enhanced coercive force of Nd–Fe–B thin films by the introduction of a Cr underlayer 46
Neutron diffraction
magnetic order in RAgGe (R=Gd–Er) intermetallic compounds 92
Ru_3Sn_7 with the Ir_3Ge_7 structure-type 157
Neutron powder diffraction
neutron and X-ray powder diffraction study on the compound $NdFe_{10.75}V_{1.25}N_x$ 306
Niobium chalcogenide halides
polytypism in the Nb_3TeI_7 system 202
Nitrides
hard magnetic properties of interstitial compounds $Sm_3(Fe,Cr)_{29}X_x$ (X=N, C) 72
Nitrogenation
neutron and X-ray powder diffraction study on the compound $NdFe_{10.75}V_{1.25}N_x$ 306

Optical absorption studies
a study of electron paramagnetic resonance and optical absorption in calcium chromium phosphate glasses containing praseodymium 99

Permanent magnetic materials
hard magnetic properties of interstitial compounds $Sm_3(Fe,Cr)_{29}X_y$ (X=N, C) 72
Phase diagram
phase equilibria in the Tb–Ti–Ge system at 1070 K 228
phase equilibria in the ternary Ga–Pt–Sb system 241
Phase formation and kinetics
phase development and kinetics of high temperature Bi-2223 phase 280
Phase transformations
a reinterpretation of the $NH_4Cu_7S_4$ structure 186
Phosphate glasses
a study of electron paramagnetic resonance and optical absorption in calcium chromium phosphate glasses containing praseodymium 99
Phosphor
luminescence properties of $Gd_{1-x}Bi_xTa_7O_{19}$ ($0<x\leq1$) 181
Polymerized complex method
preparation of $LiTaO_3$ powders at reduced temperatures by a polymerized complex method 206
Polytantalate
luminescence properties of $Gd_{1-x}Bi_xTa_7O_{19}$ ($0<x\leq1$) 181
Polytypism
polytypism in the Nb_3TeI_7 system 202
Preferred site occupancy
electronic structure and energetics of $LaNi_5$, α-$La_2Ni_{10}H$ and β-$La_2Ni_{10}H_{14}$ 81
PrFeB alloys
the coercivities of nanophase melt-spun PrFeB alloys 17
Pseudo-Jahn–Teller effect
induced helices, tetrahedrons and spirals in yellow InCl 211
Pulsed-field measurements
structure and magnetic properties of $SmCo_{5-x}Cu_x$ alloys 1

Quasicrystalline
liquid–solid equilibria in the Al-rich corner of the Al–Mn–Cr system 249
Quasicrystals
an EXAFS investigation of the local structure of $R_8Mg_{42}Zn_{50}$ icosahedral quasicrystals (R=Y, Dy) 117

Rare earth compounds
an EXAFS investigation of the local structure of $R_8Mg_{42}Zn_{50}$ icosahedral quasicrystals (R=Y, Dy) 117
phase equilibria in the Tb–Ti–Ge system at 1070 K 228
Rare earth intermetallic compounds
magnetic order in RAgGe (R=Gd–Er) intermetallic compounds 92
Rare-earth iron compounds
hard magnetic properties of interstitial compounds $Sm_3(Fe,Cr)_{29}X_y$ (X=N, C) 72
Rare earth iron intermetallics
neutron and X-ray powder diffraction study on the compound $NdFe_{10.75}V_{1.25}N_y$ 306
Rare earth osmium carbides
preparation and crystal structure of the ternary carbides $R_{12}Os_5C_{15}$ with R=Y, Pr, Nd, Sm, Gd–Tm 233
Rare earth silver gallides
ternary rare earth (R) alloys occurring in the RAg_2–RGa_2 section 222
Rare earth silver germanides
magnetic order in RAgGe (R=Gd–Er) intermetallic compounds 92

Rare earth ternary alloys
ternary rare earth (R) alloys occurring in the RAg_2–RGa_2 section 222

Refractive index
refractive indexes and electronic polarizabilities of molten $HoCl_3$–NaCl and $HoCl_3$–KCl mixtures 163
R_2Fe_{17}
temperature dependence of the magneto-crystalline anisotropy in R_2Fe_{17} (R=Y, Gd, Tb, Dy, Er) 50
RFeB magnets
coercivity in lean rare earth NdFeB and PrFeB nanocomposite hard magnetic materials 6
Rietveld refinement
crystal structure and chemistry of four new $RBa_4Cu_3O_{8.5+\delta}$ (R=Ho, Er, Tm and Yb) compounds 137
Ruthenium stannide
Ru_3Sn_7 with the Ir_3Ge_7 structure-type 157

Short-range order
investigation of the short-range order in Au–Te melts 237
Silicides
crystallographic data of new ternary Sm_5Ge_4-type $Gd_2Sc_3Ge_4$ and $R_2Sc_3Si_4$ compounds (R=Sm, Gd–Tm) L1
Single crystal
growth conditions, electrical resistivity, microhardness and thermal properties of Nb_5Sn_2Ga single crystals synthesized from high-temperature tin solutions 160
Single crystals
synthesis and crystal structures of two new cobalt 42-oxododecatungstates, $[Co_4Na(H_2O)_{21}][H(H_2W_{12}O_{42})].18H_2O$ and $[Co_5(H_2O)_{22}][H_2W_{12}O_{42}].12H_2O$ 169
Single-crystal X-ray diffraction
a reinterpretation of the $NH_4Cu_7S_4$ structure 186
SmCo
enhanced remanence behavior in mechanically alloyed $SmCo_5$ 23
Sm_2Fe_{17}
hydrogenation–disproportionation–desorption–recombination in $Sm_2Fe_{16}M$ (M=Al, Ga and Si) and magnetic properties of their carburized powders 60
$Sm_2(Fe,Al,Zr)_{17}C_y$
studies on the structure and magnetic properties of $Sm_2(Fe,Al)_{17}C_y$ alloys with Zr additions 56
$Sm_2Fe_{17}N_x$
coercivity of SmFeN permanent magnets produced by various techniques 41
Sn flux
growth conditions, electrical resistivity, microhardness and thermal properties of Nb_5Sn_2Ga single crystals synthesized from high-temperature tin solutions 160
Space group
crystal structure and chemistry of four new $RBa_4Cu_3O_{8.5+\delta}$ (R=Ho, Er, Tm and Yb) compounds 137
Spring magnets
coercivity in lean rare earth NdFeB and PrFeB nanocomposite hard magnetic materials 6
Sputtering
enhanced coercive force of Nd–Fe–B thin films by the introduction of a Cr underlayer 46
Stainless steelmaking
synthesis of mixed ferrite with spinel-type structure from a stainless steelmaking solid waste 312
Stoichiometry
a reinterpretation of the $NH_4Cu_7S_4$ structure 186
Structure
structure and magnetic properties of $SmCo_{5-x}Cu_x$ alloys 1
structure of $Al_{50}Ti_{50-x}Fe_x$ alloys prepared by mechanical alloying and subsequent annealing 275

Structure determination
synthesis and crystal structures of two new cobalt 42-oxododecatungstates, $[Co_4Na(H_2O)_{21}][H(H_2W_{12}O_{42})].18H_2O$ and $[Co_5(H_2O)_{22}][H_2W_{12}O_{42}].12H_2O$ 169

Structure type
crystallographic data of new ternary Sm_5Ge_4-type $Gd_2Sc_3Ge_4$ and $R_2Sc_3Si_4$ compounds (R=Sm, Gd–Tm) L1
phase equilibria in the Tb–Ti–Ge system at 1070 K 228
Substitution
hydrogenation properties of $MgNi_{0.86}M1_{0.03}$ (M1=Cr, Fe, Co, Mn) alloys 301
Sucksmith and Thompson analysis
temperature dependence of the magneto-crystalline anisotropy in R_2Fe_{17} (R=Y, Gd, Tb, Dy, Er) 50
Superconductivity
chemical state and properties of the Nb_3Sn_2Ga grown by the self-component flux method using tin as a solvent 196
preparation and superconductivity of the quaternary alloy Mo–Ru–Rh–Pd 264

Tantalum precursor
preparation of $LiTaO_3$ powders at reduced temperatures by a polymerized complex method 206
TB-LMTO-ASA
electronic structure and energetics of $LaNi_5$, α-$La_2Ni_{10}H$ and β-$La_2Ni_{10}H_{14}$ 81
Temperature effects
a study of electron paramagnetic resonance and optical absorption in calcium chromium phosphate glasses containing praseodymium 99
Ternary hafnium compounds
new intermetallic compounds found in Hf–Ni–Ge and Hf–Pt–Ge systems 112
Ternary phase diagram
liquid–solid equilibria in the Al-rich corner of the Al–Mn–Cr system 249
Ternary rare earth nickel silicides
crystal structure and magnetic properties of the compound $CeNi_5Si$ 123
Ternary rare earths compounds
crystallographic data of new ternary Sm_5Ge_4-type $Gd_2Sc_3Ge_4$ and $R_2Sc_3Si_4$ compounds (R=Sm, Gd–Tm) L1
Ternary system
phase equilibria in the Tb–Ti–Ge system at 1070 K 228
TG-DTA
chemical state and properties of the Nb_3Sn_2Ga grown by the self-component flux method using tin as a solvent 196
Thermal analysis
phase equilibria in the ternary Ga–Pt–Sb system 241
Thermal expansion
thermal expansion of MnRhP 77
Thermal losses
improvements of irreversible thermal losses in anisotropic $Nd_2Fe_{14}B$-based resin-bonded permanent magnets made from HDDR powder 64
Thermal properties
growth conditions, electrical resistivity, microhardness and thermal properties of Nb_3Sn_2Ga single crystals synthesized from high-temperature tin solutions 160
Time dependence
structure and magnetic properties of $SmCo_{5-x}Cu_x$ alloys 1
Tm143
crystal structure and chemistry of four new $RBa_4Cu_3O_{8.5+\delta}$ (R=Ho, Er, Tm and Yb) compounds 137

Ultrafine powder
synthesis of ultrafine gadolinium oxide powder by mechanochemical processing 146
Ultra high coercivity
magnetic properties of melt-spun Nd-rich NdFeB alloys with Dy and Ga substitutions 37

Vicker-microhardness
growth conditions, electrical resistivity, microhardness and thermal properties of Nb_3Sn_2Ga single crystals synthesized from high-temperature tin solutions 160

XPS
chemical state and properties of the Nb_3Sn_2Ga grown by the self-component flux method using tin as a solvent 196
X-ray diffraction
phase equilibria in the ternary Ga–Pt–Sb system 241
preparation and superconductivity of the quaternary alloy Mo–Ru–Rh–Pd 264
X-ray mapping
a magnetic and compositional study of the disproportionated stage of the solid-HDDR process in NdFeB-type materials 12

Yb143
crystal structure and chemistry of four new $RBa_4Cu_3O_{8.5+\delta}$ (R=Ho, Er, Tm and Yb) compounds 137

Zinc–chromium–nickel ferrite
synthesis of mixed ferrite with spinel-type structure from a stainless steelmaking solid waste 312
Zr addition
studies on the structure and magnetic properties of $Sm_2(Fe,Al)_{17}C_y$ alloys with Zr additions 56